














ICY DOCK®














PRODUCT SELECTION GUIDE













Internal Products : Page 2 to Page 5













External Products : Page 6 to Page 9










Accessories : Page 10 to Page 12











| Item # | Product Image | Short Description | Key Feature | Host Interface | Tray | Fan Size | Made Material | Unit LxWxH (in) | Unit Weight (lbs) | Origin | Master Carton Qty |
|----------------------|---|--|---|----------------|------|----------|--|-----------------------|-------------------|--------|-------------------|
| 3.5" IDE - Internal | | | | | | | | | | | |
| MB123AK |  | 5.25" ATA 133 Aluminum Internal Mobile Rack Beige | * Removable * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 40 pin IDE | Yes | 40mm | Aluminum body w/ partial plastic | 9.11" x 6.04" x 2.02" | 1.32 lbs | China | 20 |
| MB123AK-B |  | 5.25" ATA 133 Aluminum Internal Mobile Rack Black | * Removable * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 40 pin IDE | Yes | 40mm | Aluminum body w/ partial plastic | 9.11" x 6.04" x 2.02" | 1.32 lbs | China | 20 |
| MB123AK-S |  | 5.25" ATA 133 Aluminum Internal Mobile Rack Silver | * Removable * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 40 pin IDE | Yes | 40mm | Aluminum body w/ partial plastic | 9.11" x 6.04" x 2.02" | 1.32 lbs | China | 20 |
| MB122AKGF |  | 5.25" LCD ATA 133 Aluminum Internal Mobile Rack Beige w/LCD | * Removable * Light green LCD visual & audio indicators * Accessible Master/Slave setting thru the drive tray * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 40 pin IDE | Yes | 40mm | Aluminum body w/ partial plastic | 9.11" x 6.04" x 2.02" | 1.98 lbs | China | 20 |
| MB122AKGF-B |  | 5.25" LCD ATA 133 Aluminum Internal Mobile Rack Black w/LCD | * Removable * Light green LCD visual & audio indicators * Accessible Master/Slave setting thru the drive tray * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 40 pin IDE | Yes | 40mm | Aluminum body w/ partial plastic | 9.11" x 6.04" x 2.02" | 1.98 lbs | China | 20 |
| MB122AKGF-S |  | 5.25" LCD ATA 133 Aluminum Internal Mobile Rack Silver w/LCD | * Removable * Light green LCD visual & audio indicators * Accessible Master/Slave setting thru the drive tray * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 40 pin IDE | Yes | 40mm | Aluminum body w/ partial plastic | 9.11" x 6.04" x 2.02" | 1.98 lbs | China | 20 |
| MB988AK-B |  | 5.25" ATA 133 Aluminum Internal Mobile Rack Black | * Removable * Key lock function * Aluminum heat dispersion w/ 1 x rear outtake fan | 40 pin IDE | Yes | 40mm | Aluminum body w/ partial plastic | 9.27" x 5.75" x 5.0" | 1.62 lbs. | China | 20 |
| MB558AP |  | Non Standard ATA 133 Internal Mobile Rack for system developing designers or engineers. (OEM Form Factor) | * Removable * Drive tray locking mechanism * Durable steel plate built w/ industrialized I/O boards | 40 pin IDE | Yes | Fanless | Stainless steel plate w/ partial plastic | 8.35" x 5.2" x 1.1" | 1.10 lbs | China | N/A |
| 3.5" SATA - Internal | | | | | | | | | | | |
| MB123SK |  | 5.25" Hot Swap SATA 2 Aluminum Internal Mobile Rack Beige | * Removable (Support hot-swap) * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 9.84" x 5.83" x 1.65" | 1.37 lbs. | China | 20 |
| MB123SK-B |  | 5.25" Hot Swap SATA 2 Aluminum Internal Mobile Rack Black | * Removable (Support hot-swap) * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 9.84" x 5.83" x 1.65" | 1.37 lbs. | China | 20 |
| MB123SK-S |  | 5.25" Hot Swap SATA 2 Aluminum Internal Mobile Rack Silver | * Removable (Support hot-swap) * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 9.84" x 5.83" x 1.65" | 1.37 lbs. | China | 20 |
| MB123SK-1 |  | 5.25" SATA I/II Aluminum Internal Mobile Rack Beige for compact size computer | * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 9.27" x 5.82" x 1.65" | 0.86 lbs | China | 20 |
| MB123SK-1B |  | 5.25" SATA I/II Aluminum Internal Mobile Rack Black for compact size computer | * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 9.27" x 5.82" x 1.65" | 0.86 lbs | China | 20 |











| | | | | | | | | | | | |
|--------------|---|--|---|------------|-----------|------|---|-----------------------|-----------|-------|----|
| MB123SK-1S |  | 5.25" SATA I/II Aluminum Internal Mobile Rack Silver for compact size computer | * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 9.27" x 5.82" x 1.65" | 0.86 lbs | China | 20 |
| MB122SKGF |  | 5.25" LCD Hot Swap SATA 2 Aluminum Internal Mobile Rack Beige | * Removable (Support hot-swap) * Cool blue LCD visual & audio indicators * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 9.84" x 5.83" x 1.65" | 1.37 lbs. | China | 20 |
| MB122SKGF-B |  | 5.25" LCD Hot Swap SATA 2 Aluminum Internal Mobile Rack Black | * Removable (Support hot-swap) * Cool blue LCD visual & audio indicators * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 9.84" x 5.83" x 1.65" | 1.37 lbs. | China | 20 |
| MB122SKGF-S |  | 5.25" LCD Hot Swap SATA 2 Aluminum Internal Mobile Rack Silver | * Removable (Support hot-swap) * Cool blue LCD visual & audio indicators * 3 segment key lock (power, lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 9.84" x 5.83" x 1.65" | 1.37 lbs. | China | 20 |
| MB122SKGF-1 |  | 5.25" SATA I/II Aluminum Internal Mobile Rack Beige for compact size computer (with LCD) | * Removable (Support hot-swap) * Cool blue LCD visual & audio indicators * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 7.79" x 5.82" x 1.65" | 0.86 lbs | China | 20 |
| MB122SKGF-1B |  | 5.25" SATA I/II Aluminum Internal Mobile Rack Black for compact size computer (with LCD) | * Removable (Support hot-swap) * Cool blue LCD visual & audio indicators * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 7.79" x 5.82" x 1.65" | 0.86 lbs | China | 20 |
| MB122SKGF-1S |  | 5.25" SATA I/II Aluminum Internal Mobile Rack Black for compact size computer (with LCD) | * Removable (Support hot-swap) * Cool blue LCD visual & audio indicators * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 7.79" x 5.82" x 1.65" | 0.86 lbs | China | 20 |
| MB449SK |  | 5.25" Hot Swap SATA 2 Plastic Internal Mobile Rack Beige | * Removable (Support hot-swap) * Key lock function * Warm air outtake fan make cooling of the drive * Compact size for limited depth system integration | 7 pin SATA | Yes | 40mm | Plastic | 7.87" x 5.76" x 1.65" | 0.69 lbs | China | 20 |
| MB449SK-B |  | 5.25" Hot Swap SATA 2 Plastic Internal Mobile Rack Black | * Removable (Support hot-swap) * Key lock function * Warm air outtake fan make cooling of the drive * Compact size for limited depth system integration | 7 pin SATA | Yes | 40mm | Plastic | 7.87" x 5.76" x 1.65" | 0.69 lbs | China | 20 |
| MB449SK-1 |  | 5.25" SATA I/II Aluminum Internal Mobile Rack Beige | * Removable (Support hot-swap) * Key lock function * Aluminum heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 7.28" x 5.71" x 1.65" | 0.82 lbs | China | 20 |
| MB449SK-1B |  | 5.25" SATA I/II Aluminum Internal Mobile Rack Black | * Removable (Support hot-swap) * Key lock function * Aluminum heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 7.28" x 5.71" x 1.65" | 0.82 lbs | China | 20 |
| MB671SK-B |  | ICY DOCK MB671SK-B Tray-less 3.5" SATA Internal Hard Drive Mobile Rack Silver | * Tray-less Design (Hassle-free hard drive installation) * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Metal heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Tray-less | 40mm | Steel body w/ partial plastic & aluminum face panel | 9.27" x 5.82" x 1.65" | 1.82 lbs | China | 20 |
| MB671SK-BB |  | ICY DOCK MB671SK-B Tray-less 3.5" SATA Internal Hard Drive Mobile Rack Black | * Tray-less Design (Hassle-free hard drive installation) * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Metal heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Tray-less | 40mm | Steel body w/ partial plastic & aluminum face panel | 9.27" x 5.82" x 1.65" | 1.82 lbs | China | 20 |








| | | | | | | | | | | | |
|--------------|---|---|--|----------------|-----------|---------|---|------------------------|-----------|-------|-----|
| MB672SKGF-B |  | ICY DOCK MB672SKGF-B Tray-less 3.5" SATA Internal Hard Drive Mobile Rack (with LCD) - Silver | * Tray-less Design (Hassle-free hard drive installation) * Removable (Support hot-swap) * Cool blue LCD visual & audio indicators * 2 segment key lock (lock, unlock) * Metal heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Tray-less | 40mm | Steel body w/ partial plastic & aluminum face panel | 9.27" x 5.82" x 1.65" | 1.82 lbs | China | 20 |
| MB672SKGF-BB |  | ICY DOCK MB672SKGF-BB Tray-less 3.5" SATA Internal Hard Drive Mobile Rack (with LCD) - Black | * Tray-less Design (Hassle-free hard drive installation) * Removable (Support hot-swap) * Cool blue LCD visual & audio indicators * 2 segment key lock (lock, unlock) * Metal heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Tray-less | 40mm | Steel body w/ partial plastic & aluminum face panel | 9.27" x 5.82" x 1.65" | 1.82 lbs | China | 20 |
| MB876SK-B |  | ICY DOCK MB876SK-B Removable 3.5" SATA Internal Hard Drive Mobile Rack | * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Drive trays are interchangeable with ICY DOCK MB559, MB561, MB453, MB454, MB455 Series. | 7 pin SATA | Yes | 40mm | Aluminum body w/ partial plastic | 7.24" x 5.84" x 1.65" | 1.14 lbs. | China | 20 |
| MB877SK-B |  | ICY DOCK MB877SK-B Tray-less 3.5" SATA Internal Hard Drive Mobile Rack | * Tray-less Design (Hassle-free hard drive installation) * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA | Tray-less | 40mm | Aluminum body w/ partial plastic | 7.83" x 5.88" x 1.65" | 1.32 lbs. | China | 20 |
| MB558SP |  | Non Standard SATA Internal Mobile Rack for system developing designers or engineers.(OEM Form Factor) | * Removable (Support Hot-swap) * Drive tray locking mechanism * Durable steel plate built w/ industrialized I/O boards | 7 pin SATA | Yes | Fanless | Stainless steel plate w/ partial plastic | 8.35" x 5.2" x 1.1" | 1.10 lbs | China | N/A |
| MB018SKF |  | 5.25" SATA 4 in 3 Full Aluminum Module - Beige Color | * Removable (Support Hot-swap) * 4 x 3.5" SATA drive to 3 x 5.25" device bay * Drive monitoring system built internally w/ visual & audio indicators * Equipped with daisy chainable connections * Front intake fan w/ aluminum heat dispersion ear ventilation for superb airflow | 7 pin SATA | Yes | 80mm | Full Aluminum | 11.02" x 9.08" x 3.04" | 3.34 lbs. | China | 6 |
| MB018SKF-B |  | 5.25" SATA 4 in 3 Full Aluminum Module - Black Color | * Removable (Support Hot-swap) * 4 x 3.5" SATA drive to 3 x 5.25" device bay * Drive monitoring system built internally w/ visual & audio indicators * Equipped with daisy chainable connections * Front intake fan w/ aluminum heat dispersion ear ventilation for superb airflow | 7 pin SATA | Yes | 80mm | Full Aluminum | 11.02" x 9.08" x 3.04" | 3.34 lbs. | China | 6 |
| MB235SPF |  | 3 Hot Swap SATA I/II HDD in 2 X 5.25 Drive Bay Aluminum Rack W/ Detachable Fan Black | * Removable (Support Hot-swap) * 3 x 3.5" SATA drive to 2 x 5.25" device bay * Drive monitoring system built internally w/ visual & audio indicators * Rear outtake fan w/ aluminum heat dispersion * Detachable cooling fan for easy maintenance | 7 pin SATA x 3 | Yes | 80mm | Full Aluminum | 11" x 8.08" x 6" | 2.40 lbs. | China | 6 |
| MB235SPF-B |  | 3 Hot Swap SATA I/II HDD in 2 X 5.25 Drive Bay Aluminum Rack W/ Detachable Fan Black | * Removable (Support Hot-swap) * 3 x 3.5" SATA drive to 2 x 5.25" device bay * Drive monitoring system built internally w/ visual & audio indicators * Rear outtake fan w/ aluminum heat dispersion * Detachable cooling fan for easy maintenance | 7 pin SATA x 3 | Yes | 80mm | Full Aluminum | 11" x 8.08" x 6" | 2.40 lbs. | China | 6 |
| MB453SPF-B |  | 3 Hot Swap SATA I/II HDD in 2 X 5.25 Drive Bay Aluminum Rack W/ Detachable Fan Black | * Removable (Support Hot-swap) * 3 x 3.5" SATA drive to 2 x 5.25" device bay * Drive monitoring system built internally w/ visual & audio indicators * Rear outtake fan w/ aluminum heat dispersion * Detachable cooling fan for easy maintenance | 7 pin SATA x 3 | Yes | 80mm | Aluminum body w/ partial plastic | 8.66" x 5.84" x 3.38" | 2.58 lbs | China | 8 |
| MB454SPF-B |  | 4 Hot Swap SATA I/II HDD in 3 X 5.25 Drive Bay Aluminum Rack W/ Detachable Fan Black | * Removable (Support Hot-swap) * 4 x 3.5" SATA drive to 3 x 5.25" device bay * Drive monitoring system built internally w/ visual & audio indicators * Rear outtake fan w/ aluminum heat dispersion * Detachable cooling fan for easy maintenance | 7 pin SATA x 4 | Yes | 80mm | Aluminum body w/ partial plastic | 8.66" x 5.84" x 5" | 3.46 lbs | China | 6 |
| MB455SPF-B |  | 5 Hot Swap SATA I/II HDD in 3 X 5.25 Drive Bay Aluminum Rack W/ Detachable Fan Black | * Removable (Support Hot-swap) * 5 x 3.5" SATA drive to 3 x 5.25" device bay * Drive monitoring system built internally w/ visual & audio indicators * Rear outtake fan w/ aluminum heat dispersion * Detachable cooling fan for easy maintenance | 7 pin SATA x 5 | Yes | 80mm | Aluminum body w/ partial plastic | 8.66" x 5.76" x 5" | 3.57 lbs | China | 6 |















| | | | | | | | | | | | |
|----------------------|---|---|---|----------------|-----------|---------|---|-----------------------|-----------|-------|----|
| MB673SPF-B |  | ICY DOCK MB673SPF-B Tray-less 3 in 2 SATA I & II Hot-Swap Internal Backplane Raid Cage Module Tray-less | <ul style="list-style-type: none"> * Tray-less Design (Hassle-free hard drive installation) * Removable (Support Hot-swap) * 3 x 3.5" SATA drive to 2 x 5.25" device bay * Drive monitoring system built internally w/ visual & audio indicators * Rear outtake fan w/ aluminum heat dispersion * Detachable cooling fan for easy maintenance | 7 pin SATA x 3 | Yes | 80mm | Aluminum body w/ partial plastic | 8.66" x 5.75" x 3.39" | 2.40 lbs. | China | 8 |
| MB674SPF-B |  | 4 Hot Swap SATA I/II HDD in 3 X 5.25 Drive Bay Aluminum Rack W/ Detachable Fan Black | <ul style="list-style-type: none"> * Tray-less Design (Hassle-free hard drive installation) * Removable (Support Hot-swap) * 4 x 3.5" SATA drive to 3 x 5.25" device bay * Drive monitoring system built internally w/ visual & audio indicators * Rear outtake fan w/ aluminum heat dispersion * Detachable cooling fan for easy maintenance | 7 pin SATA x 4 | Yes | 80mm | Aluminum body w/ partial plastic | 8.66" x 5.79" x 5" | 3.50 lbs | China | 6 |
| 3.5" SAS - Internal | | | | | | | | | | | |
| MB1231K-1B |  | 5.25" SAS / SATA Internal Aluminum Mobile Rack - Black | <ul style="list-style-type: none"> * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan | 7 pin SATA x 2 | Yes | 40mm | Aluminum body w/ partial plastic | 9.27" x 5.82" x 1.65" | 0.86 lbs | China | 20 |
| MB6711K-B |  | 5.25" Tray-less SAS / SATA Internal Aluminum Mobile Rack - Black | <ul style="list-style-type: none"> * Tray-less Design (Hassle-free hard drive installation) * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Metal heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA x 2 | Tray-less | 40mm | Steel body w/ partial plastic & aluminum face panel | 9.27" x 5.82" x 1.65" | 1.82 lbs | China | 20 |
| MB8761K-B |  | ICY DOCK MB8761K-B Removable 3.5" SAS & SATA Internal Hard Drive Mobile Rack | <ul style="list-style-type: none"> * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Drive trays are interchangeable with ICY DOCK MB559, MB561, MB453, MB454, MB455 Series. | 7 pin SATA x 2 | Yes | 40mm | Aluminum body w/ partial plastic | 7.24" x 5.84" x 1.65" | 1.14 lbs. | China | 20 |
| MB8771K-B |  | ICY DOCK MB8771K-B Tray-less 3.5" SAS & SATA Internal Hard Drive Mobile Rack | <ul style="list-style-type: none"> * Tray-less Design (Hassle-free hard drive installation) * Removable (Support hot-swap) * 2 segment key lock (lock, unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Compact size for limited depth system integration | 7 pin SATA x 2 | Tray-less | 40mm | Aluminum body w/ partial plastic | 7.83" x 5.88" x 1.65" | 1.32 lbs. | China | 20 |
| MB4531PF-B |  | 3 Hot Swap SAS/ SATA I / II HDD in 2 X 5.25 Drive Bay Aluminum Rack W/ Swappable Fan Black | <ul style="list-style-type: none"> * Removable (Support Hot-swap) * 3 x 3.5" SAS/SATA drive to 2 x 5.25" device bay * Drive monitoring system built internally w/ visual & audio indicators * Rear outtake fan w/ aluminum heat dispersion * Detachable cooling fan for easy maintenance | 7 pin SATA x 6 | Yes | 80mm | Aluminum body w/ partial plastic | 8.66" x 5.84" x 3.38" | 2.58 lbs | China | 8 |
| 2.5" IDE - Internal | | | | | | | | | | | |
| MB448AR-B |  | 2.5" ATA 100 HDD in 1 x 3.5" Drive Bay Internal Mobile Rack Black | <ul style="list-style-type: none"> * Removable * 3.5" device bay fits into a 3.5" Floppy Drive Slot * Light weight aluminum HDD cartridge cooling & protection * Fan-less design ensures absolutely silent operation * Push & eject for HDD cartridge quick release | 40 pin IDE | Yes | Fanless | Aluminum body w/ partial plastic | 6.73" x 3.94" x 0.98" | 0.35 lbs | China | 20 |
| MB448UR-B |  | 2.5" ATA 100 HDD in 1 x 3.5" Drive Bay Internal & External USB 2.0 Mobile Rack Black | <ul style="list-style-type: none"> * Removable * Dual Internal & External 2.5" IDE to USB enclosure * 3.5" device bay fits into a 3.5" Floppy Drive Slot * Light weight aluminum HDD cartridge cooling & protection * Fan-less design ensures absolutely silent operation * Push & eject for HDD cartridge quick release | USB 2.0 | Yes | Fanless | Aluminum body w/ partial plastic | 6.73" x 3.94" x 0.98" | 0.35 lbs | China | 20 |
| 2.5" SATA - Internal | | | | | | | | | | | |
| MB448SR-B |  | 2.5" SATA HDD in 1 x 3.5" Drive Bay Internal Mobile Rack Black | <ul style="list-style-type: none"> * Removable (Support Hot-swap) * 3.5" device bay fits into a 3.5" Floppy Drive Slot * Light weight aluminum HDD cartridge cooling & protection * Fan-less design ensures absolutely silent operation * Push & eject for HDD cartridge quick release | 7 pin SATA | Yes | Fanless | Aluminum body w/ partial plastic | 6.73" x 3.94" x 0.98" | 0.35 lbs | China | 20 |
| MB663UR-1S |  | Dual Internal & External 2.5" SATA to USB enclosure. | <ul style="list-style-type: none"> * Screw-less design (Hassle-free hard drive installation) * Dual Internal & External 2.5" SATA to USB enclosure * Push & eject for quick extraction of cartridge * Ultra slim design portable external storage capability | USB 2.0 | Yes | Fanless | Aluminum body w/ partial plastic | 6.83" x 3.94" x 0.98" | 1.40 lbs | China | 20 |
| MB663UR-1SB |  | Dual Internal & External 2.5" SATA to USB enclosure - Black. | <ul style="list-style-type: none"> * Screw-less design (Hassle-free hard drive installation) * Dual Internal & External 2.5" SATA to USB enclosure * Push & eject for quick extraction of cartridge * Ultra slim design portable external storage capability | USB 2.0 | Yes | Fanless | Aluminum body w/ partial plastic | 6.83" x 3.94" x 0.98" | 1.40 lbs | China | 20 |

| ITEM # | PRODUCT IMAGE | SHORT DESCRIPTION | KEY FEATURE | HOST INTERFACE | TRAY | FAN SIZE | MADE MATERIAL | UNIT LxWxH (in) | UNIT WEIGHT (lbs) | COUNTRY OF ORIGIN | MASTER CARTON QTY |
|-----------------------------|---|--|--|----------------|------|----------|----------------------------------|------------------------|-------------------|-------------------|-------------------|
| 3.5" IDE - External | | | | | | | | | | | |
| MB452UK |  | 5.25" Duo SATA & IDE Aluminum External Mobile Rack Black | <ul style="list-style-type: none"> * Duo interface design for both of IDE & SATA Hard Drive (Need Optional SATA tray) * Removable (Plug & play) * 3 segment key lock (Power, Lock, Unlock), * Aluminum heat dispersion w/ 1 x rear outtake fan * Horizontal/Vertical positioning options * Built-in stand | USB 2.0 | Yes | 40mm | Aluminum body w/ partial plastic | 11.04"x9.08X3.04" | 4.42 lbs | China | 10 |
| MB452UK-S |  | 5.25" Duo SATA & IDE Aluminum External Mobile Rack Silver | <ul style="list-style-type: none"> * Duo interface design for both of IDE & SATA Hard Drive (Need Optional SATA tray) * Removable (Plug & play) * 3 segment key lock (Power, Lock, Unlock), * Aluminum heat dispersion w/ 1 x rear outtake fan * Horizontal/Vertical positioning options * Built-in stand | USB 2.0 | Yes | 40mm | Aluminum body w/ partial plastic | 11.04"x9.08X3.04" | 4.42 lbs | China | 10 |
| MB452UKGF-1A |  | 3.5" IDE to USB 2.0 Removable Aluminum External HDD Enclosure - Beige Color w / LCD | <ul style="list-style-type: none"> * Duo interface design for both of IDE & SATA Hard Drive (Need Optional SATA tray) * Removable (Plug & play) * Light green LCD visual & audio indicators * 3 segment key lock (Power, Lock, Unlock), * Aluminum heat dispersion w/ 1 x rear outtake fan * Horizontal/Vertical positioning options * Built-in retractable stand | USB 2.0 | Yes | 40mm | Aluminum body w/ partial plastic | 11.04" x 9.08" x 3.04" | 4.42 lbs | China | 10 |
| MB452UKGF-1AB |  | 3.5" IDE to USB 2.0 Removable Aluminum External HDD Enclosure - Black Color w / LCD | <ul style="list-style-type: none"> * Duo interface design for both of IDE & SATA Hard Drive (Need Optional SATA tray) * Removable (Plug & play) * Light green LCD visual & audio indicators * 3 segment key lock (Power, Lock, Unlock), * Aluminum heat dispersion w/ 1 x rear outtake fan * Horizontal/Vertical positioning options * Built-in retractable stand | USB 2.0 | Yes | 40mm | Aluminum body w/ partial plastic | 11.04" x 9.08" x 3.04" | 4.42 lbs | China | 10 |
| MB452UKGF-1AS |  | 3.5" IDE to USB 2.0 Removable Aluminum External HDD Enclosure - Silver Color w / LCD | <ul style="list-style-type: none"> * Duo interface design for both of IDE & SATA Hard Drive (Need Optional SATA tray) * Removable (Plug & play) * Light green LCD visual & audio indicators * 3 segment key lock (Power, Lock, Unlock), * Aluminum heat dispersion w/ 1 x rear outtake fan * Horizontal/Vertical positioning options * Built-in retractable stand | USB 2.0 | Yes | 40mm | Aluminum body w/ partial plastic | 11.04" x 9.08" x 3.04" | 4.42 lbs | China | 10 |
| 3.5" SATA - External | | | | | | | | | | | |
| MB452UK-1S |  | 5.25" Duo SATA & IDE Aluminum External Mobile Rack Beige | <ul style="list-style-type: none"> * Duo interface design for both of SATA & IDE Hard Drive (Need Optional IDE tray) * Removable (support hot-swap) * 3 segment key lock (Power, Lock, Unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Horizontal/Vertical positioning options * Built-in retractable stand | USB 2.0 | Yes | 40mm | Aluminum body w/ partial plastic | 11.04"x9.08X3.04" | 4.42 lbs | China | 10 |
| MB452UK-1SB |  | 5.25" Duo SATA & IDE Aluminum External Mobile Rack Black | <ul style="list-style-type: none"> * Duo interface design for both of SATA & IDE Hard Drive (Need Optional IDE tray) * Removable (support hot-swap) * 3 segment key lock (Power, Lock, Unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Horizontal/Vertical positioning options * Built-in retractable stand | USB 2.0 | Yes | 40mm | Aluminum body w/ partial plastic | 11.04"x9.08X3.04" | 4.42 lbs | China | 10 |
| MB452MK-B |  | 5.25" SATA Aluminum External Mobile Rack Black | <ul style="list-style-type: none"> * Removable (support hot-swap) * 3 segment key lock (Power, Lock, Unlock) * Aluminum heat dispersion w/ 1 x rear outtake fan * Horizontal/Vertical positioning options * Built-in retractable stand | eSATA + USB2.0 | Yes | 40mm | Aluminum body w/ partial plastic | 11.04"x9.08X3.04" | 4.42 lbs | China | 10 |
| MB559US-1S |  | 5.25" SATA I/II Aluminum External Mobile Rack Pearl white | <ul style="list-style-type: none"> * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | eSATA + USB2.0 | Yes | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.14 lbs. | China | 10 |



| | | | | | | | | | | | |
|---------------|---|--|--|-----------------------|-----------|---------|----------------------------------|----------------------|-----------|-------|----|
| MB559UEA-1S |  | 5.25" SATA I/II Aluminum External Mobile Rack Pearl white | * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | USB2.0 + Firewire 400 | Yes | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.15 lbs. | China | 10 |
| MB559UEB-1S |  | 5.25" SATA I/II Aluminum External Mobile Rack Pearl white | * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | USB2.0 + Firewire 800 | Yes | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.15 lbs. | China | 10 |
| MB559US-1S-B |  | 5.25" SATA I/II Aluminum External Mobile Rack Pure Black | * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | eSATA + USB2.0 | Yes | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.14 lbs. | China | 10 |
| MB559UEA-1S-B |  | 5.25" SATA I/II Aluminum External Mobile Rack Pure Black | * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | USB2.0 + Firewire 400 | Yes | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.15 lbs. | China | 10 |
| MB559UEB-1S-B |  | 5.25" SATA I/II Aluminum External Mobile Rack Black | * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | USB2.0 + Firewire 800 | Yes | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.15 lbs. | China | 10 |
| MB559US-1SMB |  | 5.25" SATA I/II Aluminum External Mobile Rack Mirror Black | * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | eSATA + USB2.0 | Yes | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.14 lbs. | China | 10 |
| MB559UEA-1SMB |  | 5.25" SATA I/II Aluminum External Mobile Rack Mirror Black | * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | USB2.0 + Firewire 400 | Yes | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.15 lbs. | China | 10 |
| MB559UEB-1SMB |  | 5.25" SATA I/II Aluminum External Mobile Mirror Black | * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | USB2.0 + Firewire 800 | Yes | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.15 lbs. | China | 10 |
| MB664US-1S |  | 3.5" USB2.0 & eSATA Screwless External Enclosure - Silver | * Tray-less Design (Hassle-free hard drive installation) * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | eSATA + USB2.0 | Tray-less | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.14 lbs. | China | 10 |
| MB664UEA-1S |  | 3.5" USB2.0 & Firewire 400 Screwless SATA Hard Drive External Enclosure - Silver | * Tray-less Design (Hassle-free hard drive installation) * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | USB2.0 + Firewire 400 | Tray-less | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.14 lbs. | China | 10 |

| | | | | | | | | | | | |
|--------------|---|---|--|-----------------------|-----------|---------|----------------------------------|------------------------|-----------|-------|----|
| MB664UEB-1S |  | 3.5" USB2.0 & Firewire 800 Screwless SATA Hard Drive External Enclosure - Silver | <ul style="list-style-type: none"> * Tray-less Design (Hassle-free hard drive installation) * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | USB2.0 + Firewire 800 | Tray-less | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.14 lbs. | China | 10 |
| MB664US-1SB |  | 3.5" USB2.0 & eSATA Screwless External Enclosure - Black | <ul style="list-style-type: none"> * Tray-less Design (Hassle-free hard drive installation) * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | eSATA + USB2.0 | Tray-less | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.14 lbs. | China | 10 |
| MB664UEA-1SB |  | 3.5" USB2.0 & Firewire 400 Screwless SATA Hard Drive External Enclosure - Black | <ul style="list-style-type: none"> * Tray-less Design (Hassle-free hard drive installation) * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | USB2.0 + Firewire 400 | Tray-less | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.14 lbs. | China | 10 |
| MB664US-1SMB |  | 3.5" USB2.0 & eSATA Screwless External Enclosure - Mirror Black | <ul style="list-style-type: none"> * Tray-less Design (Hassle-free hard drive installation) * Removable (support hot-swap) * Aluminum heat dispersion w/ top ventilation panel * Horizontal/Vertical positioning options * Built-in retractable stand | eSATA + USB2.0 | Tray-less | Fanless | Aluminum body w/ partial plastic | 7.64" x 5.6" x 1.27" | 2.14 lbs. | China | 10 |
| U6-1S-B2 |  | 5.25" SATA & IDE Aluminum External Mobile Rack Black | <ul style="list-style-type: none"> * Duo interface design for both of SATA & IDE Hard Drive (Need Optional IDE tray) * Removable tray design (support hot-swap) * 2 segment key lock (Lock, Unlock) * Aluminum heat dispersion w/ side ventilation panel | USB 2.0 | Yes | Fanless | Aluminum body w/ partial plastic | 10.63" x 5.79" x 1.22" | 3.09 lbs | China | 10 |
| U6-1S-WBC |  | 5.25" SATA & IDE Aluminum External Mobile Rack Black | <ul style="list-style-type: none"> * Duo interface design for both of SATA & IDE Hard Drive (Need Optional IDE tray) * Removable tray design (support hot-swap) * 2 segment key lock (Lock, Unlock) * Aluminum heat dispersion w/ side ventilation panel | USB2.0 + Firewire 800 | Yes | Fanless | Aluminum body w/ partial plastic | 10.63" x 5.79" x 1.22" | 3.09 lbs | China | 10 |
| MB561S-4S |  | ICY DOCK MB561S- 4S External 4 Hot Swap SATA I/II HDD Aluminum Enclosure | <ul style="list-style-type: none"> * 4 Bay Removable (Support Hot-swap) * Shock absorption design making the HDD stable * Aluminum heat dispersion w/ 1 x rear outtake fan * Detachable cooling fan for easy maintenance | eSATA x 4 | Yes | 80mm | Aluminum body w/ partial plastic | 9.25" x 5.55" x 6.77" | 8.96 lbs. | China | 6 |
| MB561US-4S |  | ICY DOCK MB561US- 4S External 4 Hot Swap SATA I/II HDD Aluminum Enclosure with USB | <ul style="list-style-type: none"> * 4 Bay Removable (Support Hot-swap) * 1 x eSATA + 1 x USB * Aluminum heat dispersion w/ 1 x rear outtake fan * Detachable cooling fan for easy maintenance | eSATA + USB2.0 | Yes | 80mm | Aluminum body w/ partial plastic | 9.25" x 5.55" x 6.77" | 8.96 lbs. | China | 6 |
| MB561US-4SC |  | ICY DOCK MB561US-4SC 4 Bay 3.5"SATA to eSATA (Port Multiplier) and USB JBOD Aluminum HDD Enclosure for Mac & PC | <ul style="list-style-type: none"> * 4 Bay Removable (Support Hot-swap) * 1 x eSATA + 1 x USB * Aluminum heat dispersion w/ 1 x rear outtake fan * Detachable cooling fan for easy maintenance * 2 Port eSATA Port Multiplier PCI-E card included (JBOD) | eSATA + USB2.0 | Yes | 80mm | Aluminum body w/ partial plastic | 9.25" x 5.55" x 6.77" | 8.96 lbs. | China | 6 |
| MB881US-1S-1 |  | 2.5" & 3.5" SATA I & II to eSATA & USB Docking Station | <ul style="list-style-type: none"> * Compatible with both 3.5" & 2.5" SATA I/II hard drive support hot swap * Support eSATA connection for maximum SATA performance * Plug & Play USB 2.0 quick connection for any computer system * User friendly Screw-less design just plug in the hard drive and play. | eSATA + USB2.0 | Yes | Fanless | Aluminum body w/ partial plastic | 11" x 6.08" x 3.12" | 1.96 lbs | China | 12 |

| | | | | | | | | | | | |
|----------------------|---|---|---|---------------------------------|-----------|---------|----------------------------------|-----------------------|-----------|-------|-----|
| MB662US-2S |  | External 3.5" 2 bay USB + eSATA with Built-in RAID | * 2 Bay Removable (Support Hot-swap) * RAID 0, RAID 1, BIG, JBOD, SAFE 33, SAFE 50 * No additional software & hardware required for RAID * 40 mm cooling fan with adjustable speed control | eSATA + USB2.0 | Yes | 40mm | Aluminum body w/ partial plastic | 9.25" x 5.55" x 6.77" | 8.96 lbs. | China | 6 |
| MB662UEAB-2S |  | External 3.5" single bay USB + Firewire 800 with Built-in RAID | * 2 Bay Removable (Support Hot-swap) * RAID 0, RAID 1, BIG, JBOD * No additional software & hardware required for RAID * 40 mm cooling fan with adjustable speed control | FireWire 400 & 800 plus USB 2.0 | Yes | 40mm | Aluminum body w/ partial plastic | 9.25" x 5.55" x 6.77" | 8.96 lbs. | China | 6 |
| 2.5" IDE - External | | | | | | | | | | | |
| MB448UA-B |  | 2.5" IDE to USB 2.0 Ultra Slim Aluminum External HDD Enclosure - Black Color | * Light weight aluminum cooling * Portable external storage capability * Cool blue LED indicator | USB 2.0 | No | Fanless | Aluminum body w/ partial plastic | 6.08" x 4.12" x 1.02" | 0.44 lbs. | China | 120 |
| 2.5" SATA - External | | | | | | | | | | | |
| MB663UB-1S-1 |  | Portable 2.5" SATA to USB 2.0 external enclosure. | * Screw-less design hard drive plug & play * Light weight aluminum built cooling * Ultra slim design portable external storage capability * Built-in USB cable | USB 2.0 | Tray-less | Fanless | Aluminum body w/ partial plastic | 5.90" x 3.00" x 0.51" | 0.84 lbs | China | 20 |
| MB663UB-1SB-1 |  | Portable 2.5" SATA to USB 2.0 external enclosure - Black. | * Screw-less design hard drive plug & play * Light weight aluminum built cooling * Ultra slim design portable external storage capability * Built-in USB cable | USB 2.0 | Tray-less | Fanless | Aluminum body w/ partial plastic | 5.90" x 3.00" x 0.51" | 0.84 lbs | China | 20 |
| MB668U-1SB |  | Portable 2.5" SATA to USB 2.0 external enclosure with OTB function - Black. | * Screw-less design hard drive plug & play * Light weight aluminum built cooling * Ultra slim design portable external storage capability * Built-in OTB (one touch back up) function for quick backups * Included "DC to USB A Type" power cable | USB 2.0 | Tray-less | Fanless | Aluminum body w/ partial plastic | 7.50" x 4.69" x 2.63" | 0.64 lbs | China | 30 |
| MB668US-1SB |  | Portable 2.5" SATA to eSATA & USB 2.0 external enclosure with OTB function - Black. | * Screw-less design hard drive plug & play * Light weight aluminum built cooling * Ultra slim design portable external storage capability * Built-in OTB (one touch back up) function for quick backups * Included "DC to USB A Type" power cable | eSATA & USB 2.0 | Tray-less | Fanless | Aluminum body w/ partial plastic | 7.50" x 4.69" x 2.63" | 0.64 lbs | China | 30 |

| ITEM # | PRODUCT IMAGE | SHORT DESCRIPTION | COMPATIBLE WITH | COMMENTS | UNIT LxWxH (in) | UNIT WEIGHT (lbs) | ORIGIN | MASTER CARTON QTY |
|-----------------------------|---|---|---|--|-----------------------|-------------------|--------|-------------------|
| 3.5" IDE - HDD TRAY | | | | | | | | |
| MB123ARCK |  | Extra Hard Drive Tray for MB123AK & MB452UK Series Beige | MB123ARCK is compatible with MB122AKGF, MB123AK, MB452UK, MB452UK-1S, MB452UKGF-1A Series | Internal ATA133 mobile rack - Tray only - Beige | 9.11" x 6.04" x 2.02" | 1.10 lbs | China | 20 |
| MB123ARCK-B |  | Extra Hard Drive Tray for MB123AK-B & MB452UK-B Series Black | MB123ARCK-B is compatible with MB122AKGF-B, MB123AK-B, MB452UK-B, MB452UK-1SB, MB452UKGF-1AB Series | Internal ATA133 mobile rack - Tray only - Black | 9.11" x 6.04" x 2.02" | 1.10 lbs | China | 20 |
| MB123ARCK-S |  | Extra Hard Drive Tray for MB123AK-S & MB452UK-S Series Silver | MB123ARCK-S is compatible with MB122AKGF-S, MB123AK-S, MB452UK-S, MB452UKGF-1AS Series | Internal ATA133 mobile rack - Tray only - Silver | 9.11" x 6.04" x 2.02" | 1.10 lbs | China | 20 |
| MB122ARCK |  | Extra hard drive tray for MB452UKGF-1A MB122AKGF Beige | MB122ARCK is compatible with MB122AKGF, MB452UK, MB452UK-1S, MB452UKGF-1A Series | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |
| MB122ARCK-B |  | Extra hard drive tray for MB452UKGF-1AB MB122AKGF-B Black | MB122ARCK-B is compatible with MB122AKGF-B, MB452UK-B, MB452UK-1SB, MB452UKGF-1AB Series | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |
| MB122ARCK-S |  | Extra hard drive tray for MB452UKGF-1AS MB122AKGF-S Silver | MB122ARCK-S is compatible with MB122AKGF-S, MB452UK-S, MB452UKGF-1AS Series | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |
| IDE-01 |  | Extra IDE hard drive tray for U6-1S-B2, U6-1S-WBC | U6-1-TRAY is compatible for U6 Series external enclosure | Extra hard drive tray | 8.12" X 5.08" X 1.10" | 0.72 lbs | China | NA |
| 3.5" SATA - HDD TRAY | | | | | | | | |
| MB123SRCK |  | Extra hard drive tray for MB123SK Beige | MB123SRCK is compatible with MB452MK-B, MB123SK series | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |
| MB123SRCK-B |  | Extra hard drive tray for MB452MK-B, MB123SK-B Black | MB123SRCK-B is compatible with MB452MK-B, MB123SK series | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |
| MB123SRCK-S |  | Extra hard drive tray for MB123SK-S Silver | MB123SRCK-S is compatible with MB452MK-B, MB123SK series | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |
| MB123SRCK-1 |  | Extra hard drive tray for MB123SK-1 Beige | MB123SRCK-1 is compatible with MB123SK-1 | Extra hard drive tray | 8.10" x 6.04" x 2.02" | 0.80 lbs. | China | 20 |
| MB123SRCK-1B |  | Extra hard drive tray for MB123SK-1B Black | MB123SRCK-1B is compatible with MB123SK-1B | Extra hard drive tray | 8.10" x 6.04" x 2.02" | 0.80 lbs. | China | 20 |
| MB123SRCK-1S |  | Extra hard drive tray for MB123SK-1S Silver | MB123SRCK-1S is compatible with MB123SK-1S | Extra hard drive tray | 8.10" x 6.04" x 2.02" | 0.80 lbs. | China | 20 |
| MB452URCK-1S |  | Extra hard drive tray for MB452UK-1S Beige | MB452URCK-1S is compatible with MB452UK, MB452UK-1S, MB452UKGF-1A | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |

| | | | | | | | | |
|--------------------|---|---|--|--|-----------------------|-----------|-------|-----|
| MB452URCK-1SB |  | Extra hard drive tray for MB452UK-1SB Black | MB452URCK-1SB is compatible with MB452UK-B, MB452UK-1SB, MB452UKGF-1AB | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |
| MB122SRCK |  | Extra hard drive tray for MB122SKGF Beige | MB122SRCK is compatible with MB452MK-B, MB122SKGF series | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |
| MB122SRCK-B |  | Extra hard drive tray for MB452MK-B, MB122SKGF-B Black | MB122SRCK-B is compatible with MB452MK-B, MB122SKGF-B series | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |
| MB122SRCK-S |  | Extra hard drive tray for MB122SKGF-S Silver | MB122SRCK-B is compatible with MB452MK-B, MB122SKGF-S series | Extra hard drive tray | 9.11" x 6.04" x 2.02" | 0.90 lbs. | China | 20 |
| MB122SRCK-1 |  | Extra hard drive tray for MB122SKGF-1 Beige | MB122SRCK-1 is compatible with MB122SKGF-1 | Extra hard drive tray | 8.10" x 6.04" x 2.02" | 0.80 lbs. | China | 20 |
| MB122SRCK-1B |  | Extra hard drive tray for MB122SKGF-1B Black | MB122SRCK-1B is compatible with MB122SKGF-1B | Extra hard drive tray | 8.10" x 6.04" x 2.02" | 0.80 lbs. | China | 20 |
| MB122SRCK-1S |  | Extra hard drive tray for MB122SKGF-1S Silver | MB122SRCK-1S is compatible with MB122SKGF-1S | Extra hard drive tray | 8.10" x 6.04" x 2.02" | 0.80 lbs. | China | 20 |
| MB449SBOX-B |  | Extra hard drive tray for MB449SK-B | MB449SBOX-B is compatible with MB449SK-B | Extra hard drive tray | 7.87" x 5.76" x 1.65" | 0.49 lbs | China | 20 |
| MB453TRAY-B |  | Extra hard drive tray for MB453, MB454, MB455 | MB453TRAY-B is compatible with MB453, MB454, MB455 series | Extra hard drive tray | 6.25" x 4.75" x 1.25" | 0.15 lbs | China | 120 |
| MB559TRAY |  | Extra hard drive tray for MB559, MB561 | MB559TRAY is compatible with MB559, MB561 series | Extra hard drive tray | 6.25" x 4.75" x 1.25" | 0.15 lbs | China | 120 |
| MB559TRAY-B |  | Extra hard drive tray for MB559, MB561 Black / Mirror Black series. | MB559TRAY is compatible with MB559, MB561 Black / Mirror Black series | Extra hard drive tray | 6.25" x 4.75" x 1.25" | 0.15 lbs | China | 120 |
| SATA1-01 |  | Extra SATA hard drive tray for U6-1S-B2, U6-1S-WBC | U6-1S-TRAY is compatible for U6 Series external enclosure | Extra hard drive tray | 8.12" X 5.08" X 1.10" | 0.72 lbs | China | NA |
| MISC | | | | | | | | |
| MB559power+bracket |  | Power + eSATA Bracket | Compatible with ICY DOCK MB452MK, MB559US-1S and MB664US-1S | The Power + eSATA Bracket for ICY DOCK eSATA External Enclosure. | 6.25" x 4.75" x 1.25" | 0.42 lbs | China | 120 |
| MB882SP-1S-1B |  | 2.5" to 3.5" SSD & SATA Hard Drive Converter | Compatible with most computer case & enclosure | 2.5" to 3.5" SSD & SATA Hard Drive Converter | 6.25" x 4.50" x 1.45" | 0.45 lbs | China | 40 |
| MB882SP-1S-2B |  | 2.5" to 3.5" SSD & SATA Hard Drive Converter | Compatible with most computer case & enclosure | 2.5" to 3.5" SSD & SATA Hard Drive Converter | 6.25" x 4.50" x 1.45" | 0.36 lbs | China | 40 |

| | | | | | | | | |
|-------------|---|--|---|--|-----------------------|----------|-------|----|
| MB883-BK |  | Leather Carry Bag for ICY DOCK HDD Cartridge | Compatible with MB559 / MB561 / MB453 / MB454 / MB455 series drive tray | MB883-BK is made from soft artificial leather to protect your ICY DOCK drive tray & hard drive | 7.15" x 4.75" x 1.65" | 0.26 lbs | China | 24 |
| MB884U-C(B) |  | 3.5" Single Bay External Hard Drive Enclosure Cooler | Compatible with ICY DOCK & most 3.5" external HDD enclosure | Apply to any 3.5" external hard drive enclosure with width size equal or under 2.13 inches | 5.43" x 4.80" x 2.68" | 0.37 lbs | China | 24 |